


IRON POWDER CORE SERIES PRODUCTS

Toroidal Cores


STANDARD SPECIFICATIONS

Part Number	A_L nH/N ²	OD mm	ID mm	HT mm	Le cm	Ae cm ²	V cm ³
KT68-10	3.2	17.5	9.40	4.83	4.23	.179	.759
KT68-15	18.0	17.5	9.40	4.83	4.23	.179	.759
KT68-18	29.0	17.5	9.40	4.83	4.23	.179	.759
KT68-26	43.5	17.5	9.40	4.83	4.23	.179	.759
KT68-38	45.0	17.5	9.40	4.83	4.23	.179	.759
KT68-40	35.0	17.5	9.40	4.83	4.23	.179	.759
KT68-45	53.0	17.5	9.40	4.83	4.23	.179	.759
KT68-52	40.0	17.5	9.40	4.83	4.23	.179	.759
KT68-2A	7.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-2A/93	7.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-8A	26.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-8A/93	26.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-18A	39.5	17.5	9.40	6.35	4.23	.242	1.03
KT68-26A	58.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-38A	61.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-40A	47.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-45A	71.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-52A	54.0	17.5	9.40	6.35	4.23	.242	1.03
KT68-2D	11.4	17.5	9.40	9.53	4.23	.358	1.52
KT68-26D	87.0	17.5	9.40	9.53	4.23	.358	1.52
KT68-40D	70.0	17.5	9.40	9.53	4.23	.358	1.52
KT68-52D	80.0	17.5	9.40	9.53	4.23	.358	1.52
KT72-2	36.0	18.3	7.11	6.60	4.01	.349	1.40
KT72-2/93	12.8	18.3	7.11	6.60	4.01	.349	1.40
KT72-3	12.8	18.3	7.11	6.60	4.01	.349	1.40
KT72-7	9.5	18.3	7.11	6.60	4.01	.349	1.40

TECHNICAL INFORMATION & PHYSICAL CHARACTERISTICS



TYPICAL PART No.



Le: Mean Magnetic Path Length

Ae: Cross Section Area

Ve: Core Volume