


IRON POWDER CORE SERIES PRODUCTS


# Toroidal Cores




## STANDARD SPECIFICATIONS

Part Number	$A_L$ nH/N <sup>2</sup>	OD mm	ID mm	HT mm	Le cm	Ae cm <sup>2</sup>	V cm <sup>3</sup>
KT131-18	79.0	33.0	16.3	11.1	7.72	.885	6.84
KT131-26	116.0	33.0	16.3	11.1	7.72	.885	6.84
KT131-33	46.5	33.0	16.3	11.1	7.72	.885	6.84
KT131-40	93.0	33.0	16.3	11.1	7.72	.885	6.84
KT131-52	108.0	33.0	16.3	11.1	7.72	.885	6.84
KT132-26	103.0	33.0	17.8	11.1	7.96	.805	6.41
KT132-40	83.0	33.0	17.8	11.1	7.96	.805	6.41
KT132-52	95.0	33.0	17.8	11.1	7.96	.805	6.41
KT141-26	75.0	35.9	22.4	10.5	9.14	.674	6.16
KT141-40	60.0	35.9	22.4	10.5	9.14	.674	6.16
KT141-52	69.0	35.9	22.4	10.5	9.14	.674	6.16
KT150-26	96.0	38.4	21.5	11.1	9.38	.887	8.31
KT150-40	78.0	38.4	21.5	11.1	9.38	.887	8.31
KT150-52	89.0	38.4	21.5	11.1	9.38	.887	8.31
KT150-26A	66.0	38.4	21.5	8.26	9.38	.657	6.16
KT150-38A	74.5	38.4	21.5	8.26	9.38	.657	6.16
KT150-45A	84.0	38.4	21.5	8.26	9.38	.657	6.16
KT157-1	32.0	39.9	24.1	14.5	10.1	1.06	10.7
KT157-2	14.0	39.9	24.1	14.5	10.1	1.06	10.7
KT157-2/93	14.0	39.9	24.1	14.5	10.1	1.06	10.7
KT157-3	42.0	39.9	24.1	14.5	10.1	1.06	10.7
KT157-6	11.5	39.9	24.1	14.5	10.1	1.06	10.7
KT157-8	42.0	39.9	24.1	14.5	10.1	1.06	10.7
KT157-8/93	42.0	39.9	24.1	14.5	10.1	1.06	10.7
KT157-18	73.0	39.9	24.1	14.5	10.1	1.06	10.7
KT157-26	100.0	39.9	24.1	14.5	10.1	1.06	10.7

## TECHNICAL INFORMATION & PHYSICAL CHARACTERISTICS



### TYPICAL PART No.



Le: Mean Magnetic Path Length  
 Ae: Cross Section Area  
 Ve: Core Volume